

LONDON SCHOOL OF HYGIENE AND TROPICAL MEDICINE

INCORPORATING THE ROSS INSTITUTE

(UNIVERSITY OF LONDON)

Telephones:

*Museum 3041 (4 lines)
Langham 7621 (5 lines)*

Telegrams:

Hygower, Westcent, London

KEPPEL STREET,

(GOWER STREET)

LONDON, W.C.1.

13th March 1960.

Dear Esther,

I wonder if you could possibly help me by giving me some salmonella strains for my work with the χ phage. It seems to me that, where there is any doubt about the susceptibility of bacteria carrying particular antigens, the clearest way of testing them is to put them into a monophasic susceptible strain. My best susceptible strains are in Groups B and D and I am looking for donor strains in these Groups so that I can use phage P22. Have you by any chance any P22- sensitive strains with antigens: k, y, z₂₉, z₃₈, lv, lw or l,6 ? And I wonder if, in particular, you still have, and could send me; Salm. zega CDC -317 and the monophasic paratyphi B SW 999 which has z₆ in place of l,2.

It would be awfully good of you if you could manage this as at the moment I am rather stuck with this part of the paper I am writing.

We are both looking forward very much to seeing you here next month.

Yours sincerely,

Elinor

Elinor Meynell.

*try S cocher
ball B
when y 1,2
b 1,6*